



The Hong Kong STD/AIDS update is a composite report on HIV/AIDS reporting and STI caseload statistics published 3 monthly. The current issue has the updated information up to December 2010.

SPP Surveillance Team:

Dr. Kenneth CHAN

Ms SL CHENG

Correspondence to:

Special Preventive Programme,

Centre for Health Protection, Department of Health

c/o Red Ribbon Centre, 2/F Wang Tau Hom Jockey Club Clinic,

200 Junction Road East, Kowloon, Hong Kong

Tel: (852) 3143 7200 Fax: (852) 2338 0534

E-mail: aids@dh.gov.hk

List of Tables / Figures

	Page no.
1 Number of HIV/AIDS reported	139 – 142
Table 1.1 Summary table on the reported number of HIV/AIDS	
Chart 1.1 Number of HIV/AIDS reported	
2 Gender distribution of reported HIV/AIDS	143 – 148
Table 2.1 Gender distribution of reported HIV	
Chart 2.1 Gender distribution of reported HIV by quarter	
Chart 2.2 Gender distribution of reported HIV by year	
Table 2.2 Gender distribution of reported AIDS	
Chart 2.3 Gender distribution of reported AIDS by quarter	
Chart 2.4 Gender distribution of reported AIDS by year	
3 Ethnicity of reported HIV/AIDS	149 – 152
Table 3.1 Distribution of ethnicity of reported HIV	
Chart 3.1 Distribution of ethnicity of reported HIV	
Table 3.2 Distribution of ethnicity of reported AIDS	
Chart 3.2 Distribution of ethnicity of reported AIDS	
4 Age distribution of reported HIV/AIDS	153 – 158
Table 4.1 Age distribution of reported HIV	
Chart 4.1 Age distribution of reported HIV	
Chart 4.2 Age group & gender of total reported HIV	
Table 4.2 Age distribution of reported AIDS	
Chart 4.3 Age distribution of reported AIDS	
Chart 4.4 Age group & gender of total reported AIDS	
5 Exposure categories of reported HIV/AIDS	159 - 162
Table 5.1 Exposure categories of reported HIV	
Chart 5.1 Exposure categories of reported HIV	
Table 5.2 Exposure categories of reported AIDS	
Chart 5.2 Exposure categories of reported AIDS	

	Page no.
6 Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men	163 – 164
Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter	
Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year	
7 Injecting drug users in reported HIV/AIDS	165 – 166
Table 7.1 Injecting drug users in reported HIV/AIDS	
Table 7.2 Number of injecting drug user in reported HIV/AIDS by year	
8 Source of referral of reported HIV/AIDS	167 – 170
Table 8.1 Source of referral of reported HIV	
Chart 8.1 Source of referral of reported HIV	
Table 8.2 Source of referral of reported AIDS	
Chart 8.2 Source of referral of Reported AIDS	
9 Distribution of AIDS defining illnesses	171 – 173
Table 9.1 Distribution of AIDS defining illness of reported AIDS	
Chart 9.1 AIDS defining illness of total reported AIDS	
Chart 9.2 AIDS defining illness of reported AIDS by year	
10 Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service	174 – 175
Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service	
11 Gender distribution of reported STIs	176 – 178
Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service	
Table 11.2 Gender distribution of reported STI by clinic	
12 Clinic distribution	179 – 180
Chart 12.1 Number of male client reported in Q4 2010 by clinic	
Chart 12.2 Number of female client reported in Q4 2010 by clinic	

1. Number of HIV/AIDS reported

Table 1.1 Summary table on the reported number of HIV/AIDS

	This quarter (Oct - Dec 2010)		Last quarter (Jul - Sep 2010)		Same quarter last year (Oct - Dec 2009)		Cumulative (1984 – 2010)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Sex								
Male	67	11	64	24	57	17	3,857	1,010
Female	35	3	17	6	14	3	975	175
Ethnicity/race								
Chinese	58	8	58	25	50	15	3,202	918
Non Chinese	44	6	23	5	21	5	1,630	267
<i>Asian</i>	14	5	6	5	11	3	830	176
<i>White</i>	5	1	3	0	2	2	337	76
<i>Black</i>	6	0	4	0	1	0	87	15
<i>Others</i>	19	0	10	0	7	0	376	0

(to be cont'd)

Table 1.1 (cont'd)

	This quarter (Oct - Dec 2010)		Last quarter (Jul - Sep 2010)		Same quarter last year (Oct - Dec 2009)		Cumulative (1984 – 2010)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Age at diagnosis								
Adult	101	13	81	30	71	20	4,785	1,173
Child (age 13 or less)	1	1	0	0	0	0	47	12
Exposure category								
Heterosexual	25	5	24	14	21	10	2,111	719
Homosexual	32	4	27	11	29	8	1,283	254
Bisexual	3	1	7	2	3	1	199	48
Injecting drug use	4	2	2	0	3	0	295	48
Blood / blood product infusion	0	0	0	0	0	0	79	24
Perinatal	1	1	0	0	0	0	26	8
Undetermined	37	1	21	3	15	1	839	84


(to be cont'd)

Table 1.1 (Cont'd)

	This quarter (Oct - Dec 2010)		Last quarter (Jul - Sep 2010)		Same quarter last year (Oct - Dec 2009)		Cumulative (1984 – 2010)	
	HIV	AIDS	HIV	AIDS	HIV	AIDS	HIV	AIDS
Source of referral								
Public hospitals / clinics / laboratories	42	12	34	29	31	17	2,114	876
Private hospitals / clinics / laboratories	26	1	10	1	15	2	1,075	174
Social Hygiene Clinics	9	0	13	0	7	0	663	45
AIDS service organisations (AIDS Unit + NGOs)	22	1	23	0	17	1	807	80
Hong Kong Red Cross Blood Transfusion Service	1	0	0	0	0	0	95	9
Drug rehabilitation services	2	0	1	0	1	0	78	1
Total	102	14	81	30	71	20	4,832	1,185

Chart 1.1 Number of HIV/AIDS reported

- 142 -



2. Gender distribution of reported HIV/AIDS

Table 2.1 Gender distribution of reported HIV

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Male	67	64	57	3,857
Female	35	17	14	975
Total	102	81	71	4,832

Chart 2.1 Gender distribution of reported HIV by quarter




Chart 2.2 Gender distribution of reported HIV by year




Table 2.2 Gender distribution of reported AIDS

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Male	11	24	17	1,010
Female	3	6	3	175
Total	14	30	20	1,185

Chart 2.3 Gender distribution of reported AIDS by quarter





Chart 2.4 Gender distribution of reported AIDS by year

- 148 -



3. Ethnicity of reported HIV/AIDS

Table 3.1 Distribution of ethnicity of reported HIV

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Chinese	58	58	50	3,202
Non Chinese	44	23	21	1,630
<i>Asian</i>	14	6	11	830
<i>White</i>	5	3	2	337
<i>Black</i>	6	4	1	87
<i>Others</i>	19	10	7	376
Total	102	81	71	4,832

Chart 3.1 Distribution of ethnicity of reported HIV





Table 3.2 Distribution of ethnicity of reported AIDS

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Chinese	8	25	15	918
Non Chinese	6	5	5	267
<i>Asian</i>	5	5	3	176
<i>White</i>	1	0	2	76
<i>Black</i>	0	0	0	15
<i>Others</i>	0	0	0	0
Total	14	30	20	1,185

Chart 3.2 Distribution of ethnicity of reported AIDS

- 152 -



4. Age distribution of reported HIV/AIDS

Table 4.1 Age distribution of reported HIV

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Adult	101	81	71	4,785
Child (age 13 or less)	1	0	0	47
Total	102	81	71	4,832

Chart 4.1 Age distribution of reported HIV

- 154 -




Chart 4.2 Age group & gender of total reported HIV




Table 4.2 Age distribution of reported AIDS

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Adult	13	30	20	1,173
Child (age 13 or less)	1	0	0	12
Total	14	30	20	1,185

Chart 4.3 Age distribution of reported AIDS

- 157 -





Chart 4.4 Age group & gender of total reported AIDS



5. Exposure categories of reported HIV/AIDS

Table 5.1 Exposure categories of reported HIV

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Heterosexual	25	24	21	2,111
Homosexual	32	27	29	1,283
Bisexual	3	7	3	199
Injecting drug use	4	2	3	295
Blood / blood product infusion	0	0	0	79
Perinatal	1	0	0	26
Undetermined	37	21	15	839
Total	102	81	71	4,832

Chart 5.1 Exposure categories of reported HIV





Table 5.2 Exposure categories of reported AIDS

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Heterosexual	5	14	10	719
Homosexual	4	11	8	254
Bisexual	1	2	1	48
Injecting drug use	2	0	0	48
Blood / blood product infusion	0	0	0	24
Perinatal	1	0	0	8
Undetermined	1	3	1	84
Total	14	30	20	1,185

Chart 5.2 Exposure categories of reported AIDS



6. Ratio (heterosexual : homosexual / bisexual) of sexually acquired HIV infection in men

Table 6.1 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by quarter

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
HIV	0.3 : 1	0.4 : 1	0.4 : 1	0.9 : 1
AIDS	0.6 : 1	0.6 : 1	0.8 : 1	1.6 : 1

Table 6.2 Ratio of sexually acquired infection in men with reported HIV/AIDS (heterosexual : homo / bisexual) by year

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	1984 – 2010
HIV	1.9 : 1	1.7 : 1	1.7 : 1	1.1 : 1	0.8 : 1	0.7 : 1	0.4 : 1	0.6 : 1	0.4 : 1	0.4 : 1	0.9 : 1
AIDS	5.3 : 1	2.7 : 1	4.9 : 1	3.8 : 1	1.8 : 1	0.8 : 1	1.5 : 1	1.4 : 1	0.8 : 1	0.8 : 1	1.6 : 1

7. Injecting drug users in reported HIV/AIDS

Table 7.1 Injecting drug users in reported HIV/AIDS

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
HIV (% of reported HIV)	4 (3.9%)	2 (2.5%)	3 (4.2%)	295 (6.1%)
AIDS (% of reported AIDS)	2 (14.3%)	0 (0.0%)	0 (0.0%)	48 (4.1%)

Table 7.2 Number of injecting drug user in reported HIV/AIDS by year

	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	1984 – 2010
HIV (% of reported HIV)	11 (5.2%)	10 (3.8%)	12 (5.2%)	25 (9.3%)	31 (9.9%)	58 (15.5%)	43 (10.4%)	42 (9.7%)	15 (3.8%)	15 (3.9%)	295 (6.1%)
AIDS (% of reported AIDS)	1 (1.7%)	1 (1.9%)	0 (0.0%)	3 (6.1%)	1 (1.6%)	11 (15.1%)	9 (11.4%)	9 (9.4%)	2 (2.6%)	3 (3.8%)	48 (4.1%)

8. Source of referral of reported HIV/AIDS

Table 8.1 Source of referral of reported HIV

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Public hospitals / clinics / laboratories	42	34	31	2,114
Private hospitals / clinics / laboratories	26	10	15	1,075
Social Hygiene Clinics	9	13	7	663
AIDS service organisations (AIDS unit + NGOs)	22	23	17	807
Hong Kong Red Cross Blood Transfusion Service	1	0	0	95
Drug rehabilitation services	2	1	1	78
Total	102	81	71	4,832

Chart 8.1 Source of referral of reported HIV

- 168 -





Table 8.2 Source of referral of reported AIDS

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
Public hospitals / clinics / laboratories	12	29	17	876
Private hospitals / clinics / laboratories	1	1	2	174
Social Hygiene Clinics	0	0	0	45
AIDS service organisations (AIDS unit + NGOs)	1	0	1	80
Hong Kong Red Cross Blood Transfusion Service	0	0	0	9
Drug rehabilitation services	0	0	0	1
Total	14	30	20	1,185

Chart 8.2 Source of referral of Reported AIDS




9. Distribution of AIDS defining illnesses

Table 9.1 Distribution of AIDS defining illness of reported AIDS


	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	Cumulative (1984 – 2010)
<i>Pneumocystis carinii pneumonia</i>	6	11	9	465
<i>Mycobacterium tuberculosis</i>	3	9	9	322
Other fungal infections	1	2	0	104
Penicilliosis	1	3	0	94
Cytomegalovirus diseases	1	2	0	53
Non-TB mycobacterial infections	0	0	1	28
Kaposi's sarcoma	0	0	0	27
Others	2	3	1	92
Total	14	30	20	1,185

Chart 9.1 AIDS defining illness of total reported AIDS



Format: [ADI; Number; %]

Chart 9.2 AIDS defining illness of reported AIDS by year



10. Reported sexually transmitted infections (STIs) diagnosed in Social Hygiene Service

Table 10.1 Summary table on the reported STIs diagnosed in Social Hygiene Service

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	In year 2010
Syphilis				
<i>Primary</i>	11	11	17	50
<i>Secondary</i>	9	13	20	54
<i>Early latent</i>	19	25	19	91
<i>Late latent</i>	196	232	194	821
<i>Late (cardiovascular / neuro /ocular)</i>	0	6	5	16
<i>Congenital (early)</i>	0	0	0	0
<i>Congenital (late)</i>	0	0	0	0
Syphilis total	235	287	255	1,032

(to be cont'd)

Table 10.1 (Cont'd)

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	In year 2010
Gonorrhoea	217	216	320	968
Non-gonococcal urethritis (Male)	840	862	825	3,350
Non-specific genital infection (Female)	685	742	814	2,988
Genital wart	387	481	489	1,771
<i>Herpes genitalis</i>	148	157	142	594
Pediculosis pubis	30	29	26	139
Trichomonas	97	122	97	372
Genital ulcer	7	4	1	26
Chancroid / <i>Lymphogranuloma venereum</i>	0	0	0	0
Others	289	278	270	1,104
Total	2,935	3,178	3,239	12,344

11. Gender distribution of reported STIs

Table 11.1 Gender distribution of selected STI reported by Social Hygiene Service

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	In year 2010
Primary Syphilis				
Male (M)	10	10	14	47
Female (F)	1	1	3	3
M:F	10.0 : 1	10.0 : 1	4.7 : 1	15.7 : 1
Gonorrhoea				
Male (M)	189	195	278	849
Female (F)	28	21	42	119
M:F	6.8 : 1	9.3 : 1	6.6 : 1	7.1 : 1
NGU / NSGI *				
Male (M)	840	862	825	3,350
Female (F)	685	742	814	2,988
M:F	1.2 : 1	1.2 : 1	1.0 : 1	1.1 : 1

(to be cont'd)

Table 11.1 (Cont'd)

	This quarter (Oct - Dec 2010)	Last quarter (Jul - Sep 2010)	Same quarter last year (Oct - Dec 2009)	In year 2010
Genital wart				
Male (M)	264	360	359	1,266
Female (F)	123	121	130	505
M:F	2.1 : 1	3.0 : 1	2.8 : 1	2.5 : 1
<i>Herpes genitalis</i>				
Male (M)	95	108	94	410
Female (F)	53	49	48	184
M:F	1.8 : 1	2.2 : 1	2.0 : 1	2.2 : 1

* NGU = Non-gonococcal urethritis

NSGI = Non-specific genital infection

Table 11.2 Gender distribution of reported STI by clinic


	This quarter (Oct - Dec 2010)		Last quarter (Jul - Sep 2010)		Same quarter last year (Oct - Dec 2009)		In year 2010	
	Male	Female	Male	Female	Male	Female	Male	Female
Chai Wan	35	49	36	36	43	35	162	171
Wan Chai	348	199	357	189	349	180	1,381	731
Yau Ma Tei	731	731	807	804	832	850	3,202	3,182
Yung Fung Shee	204	101	215	110	252	115	801	439
Tuen Mun	137	136	173	159	152	119	622	552
Fanling ITC *	132	132	173	119	164	148	611	490
Total	1,587	1,348	1,761	1,417	1,792	1,447	6,779	5,565

Remark: # Lek Yuen Clinic was closed since April 2005.

* Venereal Diseases Clinics in Fanling ITC was commenced operation in part-time basis on 1.9.2003 by appointment only.


12. Clinic distribution

Chart 12.1 Number of male client reported in Q4 2010 by clinic



Format : [Clinic ; Number ; %]

Chart 12.2 Number of female client reported in Q4 2010 by clinic



Format : [Clinic ; Number ; %]