

## Survey: India National Baseline BSS among General Population, 2001

<b>Title:</b>	India National Baseline BSS among General Population, 2001													
<b>Survey Type:</b>	BSS													
<b>Country:</b>	India													
<b>Year:</b>	2001													
<b>Start Date:</b>	April 2001													
<b>End Date:</b>	September 2001													
<b>Respondents:</b>	<table border="1"> <thead> <tr> <th>Female</th> <th>Male</th> </tr> </thead> <tbody> <tr> <td>Respondent: All Women</td> <td>Respondent: All Men</td> </tr> <tr> <td>Age: 15 - 49</td> <td>Age: 15 - 49</td> </tr> <tr> <td>Sample Size: 42631</td> <td>Sample Size: 41847</td> </tr> <tr> <th>Facilities</th> <th>Households</th> </tr> <tr> <td>Sample Size: [n/a]</td> <td>Sample Size: [n/a]</td> </tr> </tbody> </table>	Female	Male	Respondent: All Women	Respondent: All Men	Age: 15 - 49	Age: 15 - 49	Sample Size: 42631	Sample Size: 41847	Facilities	Households	Sample Size: [n/a]	Sample Size: [n/a]	
Female	Male													
Respondent: All Women	Respondent: All Men													
Age: 15 - 49	Age: 15 - 49													
Sample Size: 42631	Sample Size: 41847													
Facilities	Households													
Sample Size: [n/a]	Sample Size: [n/a]													
<b>Implementing:</b>	National AIDS Control Organization, India													
	Age range matches - female Age range matches - male Population-based sample													
<b>Description:</b>	[n/a]													
<b>Footnote:</b>	[n/a]													

<b>Indicators:</b>	<p><b>4.0.1)</b> <u>Heard of HIV/AIDS</u> female=59% (urban=82%,rural=51%), male=76% (urban=91%,rural=71%)</p> <p><b>4.1)</b> <u>Knowledge of HIV prevention methods - Composite of 2 components (prompted)</u> (female=30%, male=49%)</p> <p><b>4.1.2)</b> <u>Knowledge of HIV prevention methods - Use of condoms (prompted)</u> (female=62%, male=63%)</p> <p><b>4.1.3)</b> <u>Knowledge of HIV prevention methods - Only one partner (prompted)</u> (female=47%, male=56%)</p> <p><b>4.1.4)</b> <u>Knowledge of HIV prevention methods - Abstain from sex (prompted)</u> (female=54%, male=71%)</p> <p><b>4.2)</b> <u>No incorrect beliefs about AIDS - Composite of 3 components</u> (female=15%, male=19%)</p> <p><b>4.5.6)</b> <u>Knowledge of MTCT - Through breastfeeding</u> (female=45%, male =53%)</p> <p><b>8.1)</b> <u>Higher risk sex in the last year</u> (female=2%, male=11%)</p> <p><b>8.2)</b> <u>Condom use at last higher risk sex</u> (female=40%, male=51%)</p> <p><b>12.4)</b> <u>Men and women seeking treatment for STIs</u> (female=21%, male=26%)</p>
--------------------	--