

CHILD MARRIAGE AND MATERNAL HEALTH

Every year 12 million girls are married before the age of 18. If progress is not accelerated, 150 million girls could be married in childhood by 2030.¹ As a key driver of adolescent pregnancy, child marriage has a hugely detrimental impact on the health and wellbeing of girls and young women, who are more susceptible to experiencing complications during pregnancy and childbirth. The children of child brides are also at higher risk of poor health outcomes than children of girls who marry later. If we act to prevent child marriage now, we could dramatically improve health outcomes for millions of girls and women worldwide, and those of their children.

Why are child brides at risk of poor health outcomes?

- **Child brides are under intense social pressure to prove their fertility**, which makes it likely they will experience early and frequent pregnancies.² Evidence shows that pregnancy and childbearing is more risky for adolescent girls than for older women due to the fact their bodies are still developing.³
- **Child marriage encourages the initiation of sexual activity** at an age when girls' bodies are still developing and when they know little about their bodies, their sexual and reproductive health (SRH), and their right to access contraception.²
- **Child brides are often isolated, hard to reach, and unable to access services**, despite their significant need for maternal health services.^{2,3,4}
- **It is extremely difficult for child brides to assert their preferences and needs** to their mostly older husbands, particularly when it comes to negotiating safe sexual practices and using family planning methods.²



Photo: Barbara von Hoffmann / Alamy Stock Photo



Photo: Pippa Ranger / Department for International Development

We must address child marriage and support child brides if we are to improve maternal health

- An estimated 21 million girls aged 15 to 19 and 2 million girls aged under 15 become pregnant in developing countries every year.⁵
- **90% of adolescent births are to girls already married or in a union.**³ Countries with high rates of child marriage typically have poor maternal and child health outcomes, including higher rates of infant and maternal mortality, higher fertility rates, and lower use of skilled birth attendants.⁶
- **Complications arising from pregnancy and childbirth are consistently among the leading causes of death for 15 to 19 year old girls globally.**⁷ Common complications of childbirth such as hypertensive disorders, haemorrhage, premature labour, systemic infections, and obstructed labour are more likely among girls aged 15 to 19 than those just a few years older, and those aged under 15 are at even greater risk.^{3,8,9}
- High levels of unplanned pregnancy and restrictive abortion laws mean that pregnant **adolescent girls in developing countries frequently turn to clandestine, unqualified abortion providers who put their health and even lives at risk.** While data is unreliable, Guttmacher estimates that between 8-11% of all maternal deaths are due to unsafe abortion,¹⁰ and that adolescent girls are more likely than older women to go to unsafe providers.¹¹


- Girls are also at increased risk of post pregnancy-related complications. A systematic review found that up to **86% of cases of obstetric fistula occur in girls under the age of 18.**¹²
- Child brides are likely to have more children over their lifetimes than their peers who marry later,¹³ and to have small intervals between each birth, both of which increase the lifetime risk of developing complications during pregnancy.^{14,15}
- Children born to child brides face greater health risks and even death compared to those born to older mothers; they are also more likely to have low birth weight and poor nutritional status throughout their childhood.^{16,17} An estimated 2.1 million children could survive past age five and 3.6 million children could avoid stunting if child marriage was eliminated.¹³

What can be done to improve the maternal health of adolescent girls?

- **Focus on the social determinants of early pregnancy for both married and unmarried girls in programming for maternal health.** Unmarried adolescent girls who experience unplanned or unwanted pregnancy may find themselves at a higher risk of child marriage, or choose marriage as they cannot see other options for their future.
- **Increase access to contraception for both married and unmarried adolescent girls, so that they can delay and space pregnancies.** Successful programmes will combine youth-friendly service delivery with Comprehensive Sexuality Education (CSE) or engagement with girls on the benefits of contraception, as well as with their parents, husbands/partners, and the wider community.⁴
- **Provide age appropriate CSE** which includes discussion of gender and empowerment, to equip girls with the knowledge and skills to make healthy choices related to their SRH. CSE should include referrals to service delivery points as appropriate.¹⁸
- **Create safe spaces for girls.** Safe space programmes provide an opportunity for girls to learn about SRH and reduce girls' social isolation. Studies have shown that safe spaces can achieve a range of positive SRH outcomes including increasing girls' health knowledge and use of health services such as contraception, HIV testing and treatment, and maternal health and first-time parent support services.¹⁹
- **Tailor maternal health programmes to the unique needs of adolescent girls.** Programmes must cater to the needs of child brides as well as girls who are pregnant outside of marriage. Adolescent girls have a right to access quality health information and services that are adolescent-friendly and provide them with the knowledge and support they need to manage their SRH needs now and in the future. As part of quality maternal health services, adolescents should be counselled on contraception options after giving birth.
- **Make safe abortion services and post-abortion care available where possible,** including routine counselling on post-abortion contraception options. Information on safe abortion and referrals should be provided by other relevant service providers.
- **Use health services as an entry point to other services.** Health providers including at a community level can help link girls to a variety of other services and support including nutrition, child protection, education and income-generating opportunities.²⁰
- **Take cross-sectoral action** to prevent child marriage. Programmes should address factors such as poverty, insecurity, gender inequality, and girls' lack of economic and educational opportunities.¹⁵

References

- ¹ UNICEF, 2018, Child marriage global database, available here: <https://data.unicef.org/topic/child-protection/child-marriage/>
- ² Greene, M, et. al., 2014, **Reaching Young First-Time Parents for the Healthy Spacing of Second and Subsequent Pregnancies** (Washington, DC: Evidence to Action Project, July 2014).
- ³ UNFPA, 2015, **Girlhood, not motherhood: Preventing adolescent pregnancy**, New York: UNFPA
- ⁴ Marie Stopes International, 2018, **Global Impact Report 2017**:
- ⁵ Darroch J, Woog V, Bankole A, Ashford L.S, 2016, **Adding it up: Costs and benefits of meeting the contraceptive needs of adolescents**, New York: Guttmacher Institute
- ⁶ Raj, A, and Boehmer, U, 2013, **Girl Child Marriage and its Association with National Rates of HIV, Maternal Health, and Infant Mortality Across 97 Countries**, in Violence Against Women, Vol.19, No. 4, pg. 536-551
- ⁷ WHO, 2016, Global health estimates 2015: deaths by cause, age, sex, by country and by region, 2000–2015, Geneva: WHO
- ⁸ Ganchimeg T et al., 2014, **Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study**, BJOG, 2014, 121(Suppl. 1):40–4
- ⁹ Neal, S, 2016, **The causes of maternal mortality in adolescents in low and middle income countries: a systematic review of the literature**, BMC Pregnancy and Childbirth (2016) 16:352 DOI 10.1186/s12884-016-1120-8
- ¹⁰ Singh S et al., 2018, **Abortion Worldwide 2017: Uneven Progress and Unequal Access**, New York: Guttmacher Institute,
- ¹¹ Woog V et al., 2015, **Adolescent Women's Need for and Use of Sexual and Reproductive Health Services in Developing Countries**, New York: Guttmacher Institute
- ¹² Tebeu PM, et. al., **Risk factors for obstetric fistula: a clinical review**, Int Urogynecol J 2012;23(4):387–94.
- ¹³ Wodon, Q, Onagoruwa, N, and John, N, 2017, **Economic Impacts of Child Marriage: Health and Nutrition for Children of Young Mothers**, Washington, DC: The World Bank and International Center for Research on Women.
- ¹⁴ WHO, 2005, **Report of a technical consultation on birth spacing**, Geneva
- ¹⁵ Conde-Agudelo A and Rosas-Bermudez A., 2012, **Effects of Birth Spacing on Maternal, Perinatal, Infant and child Health: A Systematic Review of Causal Mechanisms**, Studies in Family Planning, 43[2]: 93–114
- ¹⁶ WHO, 2011, **WHO Guidelines on preventing early pregnancy and poor reproductive outcomes among adolescents in developing countries**
- ¹⁷ UNFPA, 2013, **Motherhood in Childhood: Facing the challenge of adolescent pregnancy**, **State of World Population**
- ¹⁸ Haberland, N, 2015, **The Case for Addressing Gender and Power in Sexuality and HIV Education: A Comprehensive Review of Evaluation Studies, International Perspectives on Sexual and Reproductive Health**, 41(1):31–42, doi: 10.1363/4103115
- ¹⁹ Marcus, R., et. al., 2017, **GAGE Rigorous Review Girls' clubs, life skills programmes and girls' wellbeing outcomes**
- ²⁰ PMNCH, 2012, **Reaching Child Brides. Knowledge Summary 22: Women's & Children's Health**



Published in December 2018 by
Girls Not Brides

Seventh Floor
65 Leadenhall Street
London
EC3A 2AD
United Kingdom

☎ 0203 725 5858
📞 0207 603 7811
🌐 www.GirlsNotBrides.org
✉ info@GirlsNotBrides.org
🐦 GirlsNotBrides
📘 www.facebook.com/GirlsNotBrides

Girls Not Brides is a global partnership of more than 1000 civil society organisations from over 95 countries united by a commitment to work in partnership to end child marriage and enable girls to fulfil their potential.

Girls Not Brides is a company limited by guarantee (Reg. No. 8570751) and a registered charity in England and Wales (Reg. No. 1154230).